

COREtec[®]
FLOORS

NATURALS

Collection



EN

SK - PL - RU - HU - CZ - LT

What's in your *core*?

From one true original to another, it's a family affair! The real values in life are those created and found within families: authenticity, trust and the opportunity given to be creative and express yourself. These same values drive our company and they define our corporate culture.

We saw an opportunity to create a better floor. We chased a dream and created a whole new category along the way. As the innovators of COREtec[®], the original, 100% waterproof floor, we did just that. Stylish, strong floors that sustain real family lives full of entertaining, kids and pets.



CLICK, LOCK, ENJOY. IT IS AS SIMPLE AS THAT!

We've come a long way from where we started to where we are now. But those family values guide us still. Led by management and embraced by every employee, dealer, and partner, we are recognised as the problem-solvers, innovators and design enthusiasts.

Today we offer an incredible range of resilient, durable floors that can be purchased, installed and lived upon in one single day. Click, lock, enjoy. It is as simple as that!

The most difficult task will be to choose from our wide variety of life-like decors. But don't worry, you are sure to find one to match your style because we have a floor for every personality.

Welcome to our family,
we promise to remain
authentic to the core!

Your COREtec® floor made with *care*

Always fits your style & stands up to real life, it's engineered for simplicity.

AUTHENTIC TO THE CORE - AUTHENTIC TO THE CORE - AUTHENTIC TO THE CORE



FLORA 50 LVRE 2554



FOREST 50 LVP 806

Why *choose* a COREtec[®] floor?



1 Warm feeling thanks to our cork backing

All our floors have a unique attached cork underlayment. Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors.

And; it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree.



3 100% waterproof floors

Our floors are 100% waterproof, kid proof & pet proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water.

Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home. So naturally, all COREtec[®] floors come with a limited lifetime residential warranty.

2 Easy to maintain

Cleaning our floors is child's play. Thanks to our high performance wear layers, COREtec[®] floors are easy to clean and easy to maintain.

Spilled something? No worries, you can easily clean it up, using your floor cleaner or our recommended COREtec[®] Cleaning Kit.



4 Time saving solution

COREtec[®] is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment.


Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.



SOUND CORE® - 8 mm

Silent & strong, down to the *core*

At COREtec®, we're proud to offer the most complete collection of 100% waterproof floors, so you can express what makes you, you.



**0.55 mm
HIGH
PERFORMANCE
WEAR LAYERS**

DECOR FILM
indistinguishable
from the real thing

COMFORT
warm & quiet
underfoot

SOUND CORE®
core with excellent
sound reduction

SUSTAINABLE
attached cork
underlayment



100% waterproof

100% Vodeodolná - 100% Wodoodporna - 100% водостойкое - 100% vízállóság - 100% voděodolná podlaha - 100% vandeniui atsparios grindys



Extremely stable

Extrémne stabilný - Wyjątkowo stabilna - чрезвычайно стабильный - Extrém stabilitás - Extrémni stabilita - Ekstremalus stabiluma



No acclimatisation necessary

Nevyžaduje sa aklimatizácia - Nie jest wymagana aklimatyzacja - Не требуется акклиматизация - Nincs szükség aklimatizálásra lerakás előtt - Aklimatizace není třeba - Nereikia aklimatizacijos



Easy to install

Jednoduchá inštalácia - Łatwy i szybki montaż - Легкая укладка - Könnyen lerakható - Snadná montáž na klik - Lengva montuoti



Installation on any surface

Inštalácia na akýkoľvek povrch - Montaż na każdej powierzchni - Укладка на любую поверхность - Bármilyen felületre lerakható - Instalace přímo na stávající podlahy - Montavimas ant bet kokio paviršiaus



Reduces noise

Znižuje hluk - Zmniejsza hałas - Сокращает шум - Hangcsökkentő - Redukce zvuku - Garso mažinimas



Wear resistant

Odolné voči opotrebovaniu - Odporna na zużycie - износостойкий - Korásálló - Odolný proti opotřebení - Atsparus nusidėvėjimui



Pet proof

Odolná proti zvieratám - Przystosowany dla zwierząt domowych - Защита от домашних животных - Háziállatálló - Odolnost vůči zvířatům - Atsparumas gyvūnams



Electrostatic performance

Elektrostatické prevedenie - Akumulacja ładunków elektrostatycznych - Электростатичность - Antisztatikus - Elektrostatické vlastnosti - Elektrostatinis veikimas



Ideal for underfloor heating & cooling




Vhodná na podlahové vykurovanie a chladenie - Nadaje się do ogrzewania i chłodzenia podłogowego - Подходит для полов с подогревом и охлаждением - Padlófűtés/hűtés esetén is alkalmazható - Vhodné pro podlahové vytápění/chlazení - Tinka grindiniam šildymui ir vėsiniui

NATURALS *Collection*

AUTHENTIC TO THE CORE - AUTHENTIC TO THE CORE



MULTI SERIES

	8 mm
	0,55 mm
	10 pcs 2,62 m ² ± 24 kg

1800 SERIES

8 mm	8 mm
0,55 mm	0,55 mm
6 pcs 2,47 m ² ± 20 kg	6 pcs 2,53 m ² ± 19 kg

1500 SERIES

8 mm	8 mm
0,55 mm	0,55 mm
8 pcs 2,23 m ² ± 17 kg	10 pcs 2,75 m ² ± 23 kg

1200 SERIES

8 mm	8 mm
0,55 mm	0,55 mm
12 pcs 2,66 m ² ± 22 kg	12 pcs 2,92 m ² ± 23 kg



HERRINGBONE SERIES

8 mm	8 mm	8 mm	8 mm
0,55 mm	0,55 mm	0,55 mm	0,55 mm
32 pcs 2,32 m ² ± 19 kg	12 pcs 2,5 m ² ± 21 kg	32 pcs 2,92 m ² ± 23 kg	32 pcs 2,92 m ² ± 23 kg

TILE SERIES

8,8 mm	8 mm
0,55 mm	0,55 mm
4 pcs 2,28 m ² ± 21 kg	6 pcs 2,59 m ² ± 23 kg

  Has pressed bevels on the long & short sides.

  Has bevels on the long sides.

  Has bevels on the long & short sides.

  The embossing follows the structure of the wood for a real-life touch.

Pick your colour

PLANKS



DESERT 50 LVPE 805



SWAMP 50 LVPE 859




FOREST 50 LVP 806
FOREST HB 50 LVPEH 806



TIMBER 50 LVPE 853



FLORA 50 LVRE 2554
FLORA HB 50 LVRH 2554




AURORA 50 LVRE 2756
AURORA HB 50 LVRH 2756



PAMPAS 50 LVRE 2955



EILA 50 LVRE 3173



BARLEY 50 LVRE 2754
BARLEY HB 50 LVRH 2754



FERN 50 LVREM 3273



BLOSSOM 50 LVRE 2514




JUNIPER 50 LVRE 2713
JUNIPER HB 50 LVRH 2713




HAZE 50 LVPE 855



IRIS 50 LVRE 2995



MEADOW 50 LVP 807
MEADOW HB 50 LVPEH 807




LEAF 50 LVPE 858



LUMBER 50 LVP 804
LUMBER HB 50 LVPEH 804




ACORN 50 LVPE 854
ACORN HB 50 LVPEH 854




MARLOW 50 LVRE 2884




SORREL 50 LVRE 2556
SORREL HB 50 LVRH 2556




BARK 50 LVPE 856




PERUVIA 50 LVRE 3084



ELON 50 LVRE 2887



JUGLANS 50 LVRE 3088
JUGLANS HB 50 LVRH 3088



RAVEN 50 LVRE 3188

TILES




THABOR 50 LVTE 1903




ALBARON 50 LVTE 3392



VELETA 50 LVTE 3394



EVEREST 50 LVTE 1901



ANETO 50 LVTE 3473




JURA 50 LVTE 1907




STROMBOLI 50 LVTE 3493




MATTERHORN 50 LVTE 1905



ALGAR 50 LVTE 3396




BERNER 50 LVTE 3399



CANYON 50 LVTE 1906




VELETA 50 LVTE 3394
PLINTH 70 MD9 3394



PERUVIA

50 LVRE 3084
1830 x 230 x 8 mm



1800 SERIES

1830 x 225 x 8 mm
1830 x 230 x 8 mm





PLINTH 70 HD9 3173



PLINTH 70 HD9 3188



1800 SERIES

EILA

50 LVRE 3173
1830 x 225 x 8 mm



1800 SERIES

RAVEN

50 LVRE 3188
1830 x 225 x 8 mm





1800 SERIES

AURORA

50 LVRE 2756
1830 x 230 x 8 mm



No expansion gap needed! ↷





PLINTH 70 MD9 2713



1800 SERIES

JUNIPER

50 LVRE 2713
1830 x 230 x 8 mm



JUNIPER 50 LVRE 2713



PLINTH 70 MD9 2754



1800 SERIES

BARLEY

50 LVRE 2754
1830 x 230 x 8 mm





1800 SERIES

JUGLANS

50 LVRE 3088

1830 x 230 x 8 mm





PLINTH 70 MD9 2884



MARLOW 50 LVRE 2884

PLINTH 70 QR9 2887



1800 SERIES

MARLOW

50 LVRE 2884
1830 x 230 x 8 mm




1800 SERIES

ELON

50 LVRE 2887
1830 x 230 x 8 mm






FLORA 50 LVRE 2554



SORREL

50 LVRE 2556
1520 x 181 x 8 mm



1500 SERIES

1530 x 182 x 8 mm
1520 x 181 x 8 mm





PLINTH 70 MD9 2995



1500 SERIES

IRIS

50 LVRE 2995
1530 x 182 x 8 mm



1500 SERIES

PAMPAS

50 LVRE 2955
1530 x 182 x 8 mm





PLINTH 70 QR9 2514



1500 SERIES

BLOSSOM

50 LVRE 2514
1520 x 181 x 8 mm



1500 SERIES

FLORA

50 LVRE 2554
1520 x 181 x 8 mm





FOREST

50 LVP 806
1220 x 182 x 8 mm



1200 SERIES


1200 x 182 x 8 mm



1200 SERIES

DESERT

50 LVP 805
1220 x 182 x 8 mm



1200 SERIES

LUMBER

50 LVP 804
1220 x 182 x 8 mm





1200 SERIES

MEADOW

50 LVP 807
1220 x 182 x 8 mm



1200 SERIES

TIMBER

50 LVPE 853
1220 x 182 x 8 mm





1200 SERIES

ACORN

50 LVPE 854
1220 x 182 x 8 mm



ANETO 50 LVTE 3473



1200 SERIES

HAZE

50 LVPE 855
1220 x 182 x 8 mm






1200 SERIES

SWAMP

50 LVPE 859
1220 x 182 x 8 mm





1200 SERIES

BARK

50 LVPE 856
1220 x 182 x 8 mm



1200 SERIES

LEAF


50 LVPE 858
1220 x 182 x 8 mm





AURORA

50 LVRH 2756
604 x 151 x 8 mm



HERRINGBONE SERIES

660 x 110 x 8 mm
604 x 151 x 8 mm
912 x 228 x 8 mm





PLINTH 70 HD9 2556



PLINTH 70 MD9 2554



HERRINGBONE SERIES

SORREL

50 LVRH 2556
912 x 228 x 8 mm




HERRINGBONE SERIES

FLORA

50 LVRH 2554
912 x 228 x 8 mm





HERRINGBONE SERIES

LUMBER

50 LVPEH 804
660 x 110 x 8 mm



HERRINGBONE SERIES

FOREST

50 LVPEH 806
660 x 110 x 8 mm





HERRINGBONE SERIES

ACORN

50 LVPEH 854
660 x 110 x 8 mm



HERRINGBONE SERIES

MEADOW

50 LVPEH 807
660 x 110 x 8 mm





HERRINGBONE SERIES

JUNIPER

50 LVRH 2713
604 x 151 x 8 mm





HERRINGBONE SERIES

JUGLANS

50 LVRH 3088
604 x 151 x 8 mm



HERRINGBONE SERIES


BARLEY


50 LVRH 2754
604 x 151 x 8 mm



Defined by
the *details*
of nature


NATURALS
Collection





JURA

50 LVTE 1907
915 x 471 x 8 mm



TILE SERIES

950 x 600 x 8,8 mm
915 x 471 x 8 mm






PLINTH 70 HD9 1901



TILE SERIES

EVEREST

50 LVTE 1901
915 x 471 x 8 mm



TILE SERIES

THABOR

50 LVTE 1903
915 x 471 x 8 mm





FOREST STAIRS



TILE SERIES

MATTERHORN

50 LVTE 1905
915 x 471 x 8 mm



TILE SERIES

CANYON

50 LVTE 1906
915 x 471 x 8 mm





ANETO 50 LVTE 3473



MEGATILE SERIES

ANETO

50 LVTE 3473

950 x 600 x 8,8 mm





PLINTH 70 MD9 3394



PLINTH 70 HD9 3396



MEGATILE SERIES

VELETA


50 LVTE 3394
950 x 600 x 8,8 mm



MEGATILE SERIES

ALGAR

50 LVTE 3396
950 x 600 x 8,8 mm






PLINTH 70 MD9 3392

MEGATILE SERIES

ALBARON

50 LVTE 3392
950 x 600 x 8,8 mm





PLINTH 70 HD9 3399

MEGATILE SERIES

BERNER

50 LVTE 3399
950 x 600 x 8,8 mm





MEGATILE SERIES

STROMBOLI

50 LVTE 3493
950 x 600 x 8,8 mm



Accessories

Paintable skirtings

Our paintable skirtings are 100% waterproof & shock resistant.



14 cm 1.8 cm 2 m
70 PSK2000-1



10 cm 1.3 cm 2.3 m
70 PSK2300-3



10 cm 2 cm 2 m
70 PSK2000-2




6.5 cm 1.3 cm 2.3 m
70 PSK2300-2



4 cm 1 cm 2.3 m
70 PSK2300-1




8 cm 1.5 cm 2.4 m
70 HD9 ...




5.8 cm 1.3 cm 2.4 m
70 MD9 ...



1.8 cm 1.8 cm 2.4 m
70 QR9 ...



1 cm 4.2 cm 1.93 m
70 MP9 ...



Matching design accessories

Our design accessories match the design of your floor & are also 100% waterproof & shock resistant.




! ... = Matching design reference

Installation

Easy installation

COREtec® floors have the easiest install on the market.


Watch our installation video on our website. www.coretecfloors.com



Herringbone Series variations

Mix & match your own style with our herringbone planks.


Please consult our installation guide for more information about specific requirements, such as expansion gaps and material needs.



Multi Series variations

Create your own style with four different plank sizes. The layout you choose is completely up to you!

Please consult our installation guide for more information about specific requirements, such as expansion gaps and material needs.



Maintenance

The COREtec® Clean, quick & green kit:

- Daily cleaner
- Deep cleaner
- Stain remover



Technical specifications

LEVEL OF USE

Úroveň použitia / Klasa ścieralności /
Класс использования / Európai besorolás /
Úroveň použití / Atsparumo klasė
Class 23 / 33 (EN ISO 10874)

GEOMETRICAL CHARACTERISTICS

Geometrické parametre / Charakterystyka
Geometryczna / геометрические
характеристики / Geometriai jellemző /
Rozměry / Geometrinės savybės
Conform (EN 17539)

WEAR RESISTANCE

Odolnosť voči opotrebeniu / Wytrzymałość
na zużycie / износостойкость / Korásállóság /
Odolnost proti opotřebení / Atsparumas dilimui
Pass 5000 cycles (ISO 24338)

CASTOR CHAIR RESISTANCE

Odolnosť voči kolieskam na stoličke / Odporność
na krzesła obrotowe z kółkami / Стойкость
к креслам с роликами / Görgös szék teszt /
Odolnost vůči kolečkovým židlým / Atsparumas
kėdžių ratukams
Pass 25000 cycles (ISO 4918)

EFFECT OF FURNITURE LEG

Efekt z nôh nábytku / Wpływ nogi meblowej /
воздействие мебельных ножек / Bűtorláthatás /
Vliv nábytkové nožky / Baldų poveikis
No visible change (EN 16581)

RESIDUAL INDENTATION

Trvalá deformácia / Pozostałe wgniecenie /
остаточные вмятины / Megmaradó
benyomódás / Trvalá deformace /
Likęs įdubimas
≤ 0.10 mm (EN ISO 24343-1)

RESISTANCE TO STAINING

Odolnosť voči napúšťaniu farbou /
Odporność na barwienie / Foltállóság / Odolnost
proti vzniku skvrn / Atsparumas dėmėms
5 (no visible change) (EN 438-2)

LOCKING STRENGTH

Pevnosť pripojenia / Wytrzymałość blokowania /
прочность крепления / Záróerő / Pevnost
zajištění / Blokavimo jėga
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

DIMENSIONAL STABILITY

Rozmerová stabilita / Stabilność wymiarowa /
Стабильность размеров / Méretstabilitás / Rozměrová
stabilita / Matmenų stabilumas
Pass ≤ 0.25% (EN ISO 23999)

COLOUR FASTNESS TO LIGHT

Stálosť farby na svetle / Odporność koloru na światło /
устойчивость окраски к свету / Színtartósság /
Stálobarevnost na světle / Spalvų atsparumas šviesa
> grade 6 (EN ISO 105-B-02)

IMPACT SOUND REDUCTION

Akustická izolácia / Izolacja akustyczna /
Звукоизоляция / Hangszigetelés / Akustická izolace /
Carso slopinimas
 $\Delta L_w = 20$ dB (ISO 10140-3 / EN 717-2)
 $\Delta L_{LIN} = 10$ dB (ISO 10140-3 / EN 717-1)

FORMALDEHYDE EMISSION CLASS

Formaldehýdová skupina / Emisja formaldehydu /
Класс эмиссии формальдегида / Formaldehyd
csoport / Formaldehydová skupina / Formaldehyde
group
E1 (EN 717-1)

FIRE CLASSIFICATION

Klasifikácia voči požiaru / klasyfikacja ogniowa /
класс огнестойкости / Tűzállósági osztály / Požární
klasifikace / Degumo klasifikacija
Bfl - S1 (EN 13501)

SLIP RESISTANCE

Protišmykovosť / Śliskość / Стойкость к скольжению /
Csúszásmentes / Protiskluznost / Slidumo klasė
DS - RIO (EN 13893 - DIN 51130)

UNDERFLOOR HEATING

Podlahové vykurovanie / Ogrzewanie podłogowe /
Полы с подогревом / Padlófűtésre / Podlahové
vykurování / Šildomos grindys
Suitable

ELECTROSTATIC PERFORMANCE

Elektrostatické prevedenie / Akumulacja ładunków
elektrostatycznych / Электростатичность /
Elektromos feltöltődés / Elektrostatické provedení /
Antistatistikumas
≤ 5 kV (EN 1815)

THERMAL RESISTANCE

Тепелна odolnosť / Odporność cieplna /
термостойкость / Hőállóság / Teplotní odolnost /
Terminis atsparumas
0.066 m²-K/W (EN 12667)

Series	Name	SQ Number	Length (mm)	Width (mm)	Thickness (mm)						Pieces / box	M ² / box	± Weight box (kg)
MULTI	Fern	50 LVREM 3273	610	126	8						2		
			1830	181	8						4	2.62	24
			1220	126	8						2		
			1830	228	8						2		
1800+ PB	Eila	50 LVRE 3173	1830	225	8					6	2.47	20	
	Raven	50 LVRE 3188	1830	225	8					6	2.47	20	
1800+++	Aurora	50 LVRE 2756	1830	230	8					6	2.53	19	
	Juniper	50 LVRE 2713	1830	230	8					6	2.53	19	
	Barley	50 LVRE 2754	1830	230	8					6	2.53	19	
	Juglans	50 LVRE 3088	1830	230	8					6	2.53	19	
	Peruvia	50 LVRE 3084	1830	230	8					6	2.53	19	
	Elon	50 LVRE 2887	1830	230	8					6	2.53	19	
	Marlow	50 LVRE 2884	1830	230	8					6	2.53	19	
1500+++	Sorrel	50 LVRE 2556	1520	181	8					10	2.75	23	
	Flora	50 LVRE 2554	1520	181	8					10	2.75	23	
	Blossom	50 LVRE 2514	1520	181	8					10	2.75	23	
1500+	Iris	50 LVRE 2995	1530	182	8					8	2.23	17	
	Pampas	50 LVRE 2955	1530	182	8					8	2.23	17	
1200+	Timber	50 LVPE 853	1220	182	8					12	2.66	22	
	Acorn	50 LVPE 854	1220	182	8					12	2.66	22	
	Haze	50 LVPE 855	1220	182	8					12	2.66	22	
	Bark	50 LVPE 856	1220	182	8					12	2.66	22	
	Leaf	50 LVPE 858	1220	182	8					12	2.66	22	
	Swamp	50 LVPE 859	1220	182	8					12	2.66	22	
1200	Lumber	50 LVP 804	1220	182	8					12	2.66	22	
	Desert	50 LVP 805	1220	182	8					12	2.66	22	
	Forest	50 LVP 806	1220	182	8					12	2.66	22	
	Meadow	50 LVP 807	1220	182	8					12	2.66	22	
WBE	Sorrel	50 LVRH 2556	912	228	8					A:6-B:6	2.5	21	
	Flora	50 LVRH 2554	912	228	8					A:6-B:6	2.5	21	
HBE	Aurora	50 LVRH 2756	604	151	8					A:16-B:16	2.92	23	
	Juniper	50 LVRH 2713	604	151	8					A:16-B:16	2.92	23	
	Barley	50 LVRH 2754	604	151	8					A:16-B:16	2.92	23	
	Juglans	50 LVRH 3088	604	151	8					A:16-B:16	2.92	23	
HB	Lumber	50 LVPEH 804	660	110	8					A:16-B:16	2.32	19	
	Forest	50 LVPEH 806	660	110	8					A:16-B:16	2.32	19	
	Meadow	50 LVPEH 807	660	110	8					A:16-B:16	2.32	19	
	Acorn	50 LVPEH 854	660	110	8					A:16-B:16	2.32	19	
TILE	Everest	50 LVTE 1901	915	471	8					6	2.59	23	
	Thabor	50 LVTE 1903	915	471	8					6	2.59	23	
	Matterhorn	50 LVTE 1905	915	471	8					6	2.59	23	
	Canyon	50 LVTE 1906	915	471	8					6	2.59	23	
	Jura	50 LVTE 1907	915	471	8					6	2.59	23	
MEGATILE	Veleta	50 LVTE 3394	950	600	8.8					4	2.28	21	
	Algar	50 LVTE 3396	950	600	8.8					4	2.28	21	
	Berner	50 LVTE 3399	950	600	8.8					4	2.28	21	
	Albaron	50 LVTE 3392	950	600	8.8					4	2.28	21	
	Stromboli	50 LVTE 3493	950	600	8.8					4	2.28	21	
	Aneto	50 LVTE 3473	950	600	8.8					4	2.28	21	

It's in our *cove* to adore nature




Our commitments from us to you.

- 
Choose me once, love me for life
 We believe in a world where things last! For a lifetime, and longer. That's good for you, and also for the planet. So our products carry a lifetime guarantee for domestic use, and a 10-year guarantee for commercial use.
- 
Breathe healthy air
 The GreenGuard Gold certification is recognised as one of the most stringent in the world, going beyond the A+ rating for indoor air quality. This means that your floor contributes to the healthiest environment for working and living, and protects the most sensitive people.
- 
Sustainable cork underlay
 Cork is a highly durable material. It retains its natural springiness even after years of use, while woods planted with cork oak reduce CO₂ emissions.
- 
We can prove it
 Don't take our word for it, look at the proof! COREtec® meets the standards for numerous quality labels and certificates. Our floors are free of heavy metals (such as lead) and phthalates.
- 
Second Life
 So you're changing your floor? Why not give the old COREtec® floor a second life! You can gift your old floor via Second Life Floors. Because your old floor is perfectly fine to start a new story in a new location.
- 
Do your bit for forest conservation
 There is no wood in a COREtec® floor. So no trees are cut down to make your home beautiful. More than that: we are active in forest conservation, worldwide.



COREtec® floors are
that good, somebody else
can re-*enjoy* it.

Learn how your COREtec® floor gets a second life.



COREtec®, the natural choice



Warranty (years) The warranty covers manufacturing defects and premature wear in the event of normal use.
 Záruka (rok) Záruka sa vzťahuje na výrobné chyby a predčasné opotrebenie v prípade bežného používania.
 Termin gwarancji (rok) Gwarancja obejmuje wadyfabryczne i przedwczesne zużycie w przypadku normalnego użytkowania.
 Гарантия (лет) Гарантия покрывает производственные дефекты и преждевременный износ при нормальном использовании.
 A garancia gyártási hibákra és idő előtti elhasználódásra általános használatnál érvényes.
 Záruka (rok) Záruka se vzťahuje na vady z výroby a predčasné opotrebenie v prípade bežného používania.
 Carantija (Metai) Carantija taikoma gamybos trūkumams ir per greitam nusidėvėjimui eksploatuojant normaliomis sąlygomis



COREtec[®]
FLOORS

Souverainestraat 27 - 9770 Kruisem (Belgium)
info@usfloors.be · www.coretecfloors.com